

Standofleet Product Catalogue



PRODUCT GUIDE



The Art of Refinishing.

Standex products are for professional use only and distributed to the Trade through a nationwide network of Appointed Distributors.

Our Customer Care Unit will be pleased to supply you with the name and address of your nearest Distributor, or visit our Website at www.standex.co.uk.

Standex Customer Care Unit

Standex Colour Service:	Tel: 01707 518014 Fax: 01707 331424
Standex Technical:	Tel: 01707 518017 Fax: 01707 331424
Standex Marketing:	Tel: 01707 518007 Fax: 01707 331424

For all technical datasheets referenced in this catalogue, please visit www.standex.co.uk/tds.



Standex UK,
Unit 1, Quadrant Park, Mundells,
Welwyn Garden City, Herts AL7 1FS
Tel: 01707 518000
Fax: 01707 331424
Email: info-sx-gb@gbr.standex.com
Web: www.standex.co.uk

An Axalta Coating Systems Brand

Standofleet – always ready at hand, for all applications.

Standofleet stands for quality, versatility and perfection in professional commercial vehicle refinishing.

The Standofleet system is based on an innovative pigment/binder technology which enables you to meet the specific needs of your customers. The highly versatile Standofleet range allows you to put together the perfect combination of high-quality paint layers for each job.

After all, each paint job is unique – when you refinish a coach, you have to take different factors into account than in coating construction equipment or trucks. One important issue is the substrate to be coated or refinished (e.g. steel, aluminium, plastic) and the specific area of the vehicle.

Standofleet provides you with the perfect solution for any paint job.

Bodywork




SYSTEMS	WASH PRIMER, PRIMER FILLER		FILLER	TOPCOAT	BASECOAT / CLEARCOAT	
	CHROMATE FREE	WITH CHROMATE		2 COAT	2 COAT	
ALUMINIUM	EXCLUSIVE	WASH PRIMER 1:1	CR WASH PRIMER	2K VOC SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	PREMIUM	WASH PRIMER 1:1	CR WASH PRIMER	2K NON SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		WASH PRIMER 1:1	CR WASH PRIMER	2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	CLASSIC	EPOXY SURFACER 5:1	REACTION PRIMER 2:1		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
STEEL	EXCLUSIVE	WASH PRIMER 1:1	CR WASH PRIMER	2K VOC SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	PREMIUM	WASH PRIMER 1:1	CR WASH PRIMER	2K NON SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		WASH PRIMER 1:1	CR WASH PRIMER	2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
		1K WELDING PRIMER / 1K PRIMER		2K NON SANDING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		1K WELDING PRIMER / 1K PRIMER		2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	CLASSIC	2K VOC HIGH BUILD PRIMER	2K VOC UNIVERSAL PRIMER FILLER		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		EPOXYSURFACER 5:1			2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
		1K WELDING PRIMER / 1K PRIMER			2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
GALVANIZED STEEL	EXCLUSIVE	WASH PRIMER 1:1	CR WASH PRIMER	2K VOC SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	PREMIUM	WASH PRIMER 1:1	CR WASH PRIMER	2K NON SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		WASH PRIMER 1:1	CR WASH PRIMER	2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
		1K WELDING PRIMER / 1K PRIMER		2K NON SANDING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		1K WELDING PRIMER / 1K PRIMER		2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	CLASSIC	2K VOC HIGH BUILD PRIMER	2K VOC UNIVERSAL PRIMER FILLER		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
			REACTION PRIMER 2:1		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		EPOXYSURFACER 5:1			2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
1K WELDING PRIMER / 1K PRIMER			2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT			
GLASS-FIBRE REINFORCED PLASTIC	EXCLUSIVE			2K VOC SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	PREMIUM			2K NON SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
				2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
CLASSIC	2K VOC HIGH BUILD PRIMER			2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT		

common daily operation

STANDOX

The Art of Refinishing.

Buses



SYSTEMS	WASH PRIMER, PRIMER FILLER		FILLER	TOPCOAT	BASECOAT / CLEARCOAT	
	CHROMATE FREE	WITH CHROMATE		2 COAT	2 COAT	
ALUMINIUM	EXCLUSIVE	WASH PRIMER 1:1	CR WASH PRIMER	2K VOC SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	PREMIUM	WASH PRIMER 1:1	CR WASH PRIMER	2K NON SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		WASH PRIMER 1:1	CR WASH PRIMER	2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
CLASSIC		REACTION PRIMER 2:1		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT		
STEEL	EXCLUSIVE	WASH PRIMER 1:1	CR WASH PRIMER	2K VOC SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	PREMIUM	WASH PRIMER 1:1	CR WASH PRIMER	2K NON SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		WASH PRIMER 1:1	CR WASH PRIMER	2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
CLASSIC	2K VOC HIGH BUILD PRIMER	2K VOC UNIVERSAL PRIMER FILLER		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT		
STAINLESS STEEL	EXCLUSIVE	WASH PRIMER 1:1	REACTION PRIMER 2:1	2K VOC SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	PREMIUM	WASH PRIMER 1:1	CR WASH PRIMER	2K NON SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		WASH PRIMER 1:1	CR WASH PRIMER	2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
CLASSIC		REACTION PRIMER 2:1		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT		
GALVANIZED STEEL	EXCLUSIVE	WASH PRIMER 1:1	CR WASH PRIMER	2K VOC SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	PREMIUM	WASH PRIMER 1:1	CR WASH PRIMER	2K NON SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		WASH PRIMER 1:1	CR WASH PRIMER	2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
CLASSIC	2K VOC HIGH BUILD PRIMER	2K VOC UNIVERSAL PRIMER FILLER		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT		
GLASS-FIBRE REINFORCED PLASTIC	EXCLUSIVE			2K VOC SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	PREMIUM			2K NON SAND- ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
				2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
CLASSIC	2K VOC HIGH BUILD PRIMER			2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT		

common daily operation

STANDOX


The Art of Refinishing.

Side Board



	SYSTEMS	WASH PRIMER, PRIMER FILLER		FILLER	TOPCOAT	BASECOAT / CLEARCOAT
		CHROMATE FREE	WITH CHROMATE		2 COAT	2 COAT
HARD ALUMINIUM	PREMIUM	WASH PRIMER 1:1	CR WASH PRIMER	2K NON SAND-ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		WASH PRIMER 1:1	CR WASH PRIMER	2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	CLASSIC		REACTION PRIMER 2:1		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	

Truck-Cabs / Vans




	SYSTEMS	WASH PRIMER, PRIMER FILLER		FILLER	TOPCOAT	BASECOAT / CLEARCOAT	
		CHROMATE FREE	WITH CHROMATE		2 COAT	2 COAT	
STEEL	OEM-PAINTING			2K SEALER TRANSPARENT	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT		
				2K SEALER TRANSPARENT	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR	
	EXCLUSIVE	WASH PRIMER 1:1	CR WASH PRIMER	2K VOC SAND-ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR	
	REPAIR	PREMIUM	WASH PRIMER 1:1	CR WASH PRIMER	2K NON SAND-ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
			WASH PRIMER 1:1	CR WASH PRIMER	2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
CLASSIC		EPOXYSURFACER 5:1		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT			
GLASS-FIBRE REINFORCED PLASTIC	EXCLUSIVE			2K VOC SAND-ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR	
	PREMIUM			2K NON SAND-ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT		
					2K VOC WET ON WET FILLER		STANDOHYD BASECOAT / 2K HS PLUS CLEAR
CLASSIC	2K VOC HIGH BUILD PRIMER				2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT		

common daily operation

STANDOX

The Art of Refinishing.

Chassis



	SYSTEMS	WASH PRIMER, PRIMER FILLER		PRIMER FILLER	TOPCOAT	
		CHROMATE FREE	WITH CHROMATE			
STEEL	OEM-PAINTING	CLASSIC			2K SEALER TRANSPARENT	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT
		PREMIUM	WASH PRIMER 1:1	CR WASH PRIMER	2K PRIMER SURFACER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT
	OEM-PAINTING	CLASSIC	2K VOC HIGH BUILD PRIMER	2K VOC UNIVERSAL PRIMER FILLER		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT
			EPOXY SURFACER 5:1			2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT
STEEL	NEW		1K WELDING PRIMER			2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT
		PREMIUM	WASH PRIMER 1:1	CR WASH PRIMER	2K PRIMER SURFACER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT
		CLASSIC		2K VOC UNIVERSAL PRIMER FILLER		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT
	BLASTED CHASSIS			REACTION PRIMER 2:1		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT
		PREMIUM	WASH PRIMER 1:1	CR WASH PRIMER	2K PRIMER SURFACER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT
		CLASSIC		2K VOC UNIVERSAL PRIMER FILLER		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT
			REACTION PRIMER 2:1		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		WASH PRIMER 1:1			2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	

common daily operation

STANDOX

The Art of Refinishing.

Tanker/Silo Vehicle



	SYSTEMS	WASH PRIMER, PRIMER FILLER		FILLER	TOPCOAT	BASECOAT / CLEARCOAT
		CHROMATE FREE	WITH CHROMATE		2 COAT	2 COAT
HARD ALUMINIUM	EXCLUSIVE	WASH PRIMER 1:1	CR WASH PRIMER	2K VOC SAND-ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	PREMIUM	WASH PRIMER 1:1	CR WASH PRIMER	2K NON SAND-ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		WASH PRIMER 1:1	CR WASH PRIMER	2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
CLASSIC			REACTION PRIMER 2:1		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		EPOXYSURFACER 5:1			2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
STEEL	EXCLUSIVE	WASH PRIMER 1:1	CR WASH PRIMER	2K VOC SAND-ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	PREMIUM	WASH PRIMER 1:1	CR WASH PRIMER	2K NON SAND-ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		WASH PRIMER 1:1	CR WASH PRIMER	2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	CLASSIC	2K VOC HIGH BUILD PRIMER	2K VOC UNIVERSAL PRIMER FILLER		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		EPOXYSURFACER 5:1			2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
		REACTION PRIMER 2:1		2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT		
GLASS-FIBRE REINFORCED PLASTIC	EXCLUSIVE			2K VOC SAND-ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
	PREMIUM			2K NON SAND-ING FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	
				2K VOC WET ON WET FILLER	2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT	STANDOHYD BASECOAT / 2K HS PLUS CLEAR
CLASSIC	2K VOC HIGH BUILD PRIMER			2K HS TOPCOAT 2K HS HIGH BUILD TOPCOAT		

common daily operation

STANDOX

The Art of Refinishing.



Standofleet Toners

- Can be used as a 2K HS Topcoat or a 2K HS Highbuild Topcoat by using the relevant binder.

TDS Number: CV630/ CV632

4024669807226	Mix722	Sun Yellow	1lt	
4024669807233	Mix723	Lemon Yellow	1lt	
4024669807318	Mix731	Orange	3.5lt	
4024669914962	Mix733	Brilliant Orange	3.5lt	
4024669807417	Mix741	Deep Red	3.5lt	
4024669913224	Mix750	FCA Additive	3.5lt	
4024669807660	Mix766	Opal	1lt	
4024669807677	Mix767	Deep Blue	3.5lt	
4024669807684	Mix768	Yellow Green	1lt	
4024669807691	Mix769	Blue Green	1lt	
4024669911350	Mix770	White	3.5lt	
4024669807721	Mix772	Ochre	1lt	
4024669807745	Mix774	Dark Violet	1lt	
4024669807769	Mix776	English Red	1lt	
4024669807783	Mix778	Indigo Blue	1lt	
4024669807844	Mix784	Burgundy Red	1lt	
4024669807851	Mix785	Light Yellow	3.5lt	
4024669807868	Mix786	Purple	1lt	
4024669807875	Mix787	Black	3.5lt	
4024669808889	Mix788	Brown Red	1lt	
4024669807899	Mix789	Black Toner	3.5lt	
4024669807905	Mix790	Opal Toner	1lt	
4024669807912	Mix791	Blue Green Toner	1lt	
4024669807929	Mix792	Ochre Toner	1lt	
4024669807936	Mix793	Brown Red Toner	1lt	
4024669923230	RAL9010	Pure White	3.5lt	
4024669923315	RAL9006	White Aluminium	3.5lt	TDS: 633

Mix 799 Binder HS



- VOC - compliant 2K High Solid Topcoat with optimum gloss- and high colour retention
- High mechanical and chemical resistance
- Low material consumption
- High profitability
- High opacity
- Mixing 3:1 with Standofleet 2K HS Hardener

Pack size: 3.5 litre
GMC code: 4024669913057
TDS Number: CV630

Mix 710 Binder HS High Build



- VOC - compliant 2K High Build Topcoat
- Good gloss- and colour retention
- High mechanical and chemical resistance
- High profitability
- Good filling properties and high film thickness
- Mixing 3:1 with Standofleet 2K HS Hardener

Pack size: 3.5 litre
GMC code: 4024669913002
TDS Number: CV632

Mix 705 Binder HS Matt



Pack size: 3.5 litre
GMC code: 4024669913132
TDS Number: CV671



2K HS Hardener Fast

- Fast repairs
- Small, single objects
- Stripes & lettering
- Fast drying (20-25 min/60°C)

Pack size: 5 litre
GMC code: 4024669952032
TDS Number: CV630 / CV632



2K HS Hardener

- Standard 2K HS Hardener
- For most common CV repairs and re-finishes
- Normal drying (25-30 min/60°C)

Pack size: 5 litre
GMC code: 4024669952018
TDS Number: CV630 / CV632



2K HS Hardener Slow

- Long potlife, especially for pump-, pressure-pot-, airless-, airmix- & e-static-spray-equipment
- Hot conditions
- Huge objects
- Normal drying (30-35 min/60°C)

Pack size: 5 litre
GMC code: 4024669952063
TDS Number: CV630 / CV632

Standofleet Activator U2540



Pack size: 2.5 litre
GMC code: 4024669937312
TDS Number: CV618

Standofleet CR Activator U2560



- Used with CR Wash Primer U2550 1:1

Pack size: 2.5 litre
GMC code: 4024669935967
TDS Number: CV612

Epoxy Hardener U2210



- Used with Epoxy Surfacer U2200 5:1

Pack size: 1 litre
GMC code: 4024669934267
TDS Number: CV613

CR Wash Primer U2550



- Passivating Acid Primer
- Highest corrosion protection for heavy duty applications
- Containing zinc chromate for substrates which are susceptible to corrosion
- Only for 3-Stage systems
- Excellent adhesion
- Mix 1:1 with Standofleet CR Activator U2560

Pack size: 2.5 litre
GMC code: 4024669935882
TDS Number: CV612

2K Primer Surfacer U2510



- For all purposes
- Chromate-free
- Good filling properties
- Good vertical stability
- Mixing 6:1 with Standofleet 2K HS Hardener
- Wet-on-Wet / Sanding Filler
- Adhesion promoter for Chassis painting

Available in White (FC1) & Light Grey (FC2)
Pack size: 3.5 litre & 6 litre (11.5 litre Can)
GMC code: 4024669930184 & 4024669930900
TDS Number: CV620

2K Non Sanding Filler U2500



- Specially developed for economical Wet-on-Wet painting
- Excellent hold out
- Chromate-free
- 20% tinting capability with Standofleet Topcoat
- Mixing 4:1 with Standofleet 2K HS Hardener

Available in Light Grey (FC2), Black (FC3) & White (FC1)

Pack size: 3.5 litre
GMC code: LG; 4024669931549 B; 4024669931709 W; 4024669931624
TDS Number: CV621

2K Sealer Transparent U2020



- Transparent 2K Adhesion Promoter
- Especially suitable for an economical overall repaint
- Can be used as a transparent filler
- Chromate-free
- Mixing 4:1 with Standofleet 2K HS Hardener

Pack size: 3.5 litre

GMC code: 4024669931464

TDS Number: CV622

1K Welding Primer U2120 Red Brown



- 1K acid primer
- Outstanding corrosion protection
- Certificate for welding
- Free from chromate warning label
- Unlimited potlife
- 2- and 3-Stage system

Pack size: 6 litre (11.5 litre Can)

GMC code: 4024669932270

TDS Number: CV611

1K Primer U2010



- 1K acid primer
- Unlimited potlife
- Neutral colour - Grey
- Chromate-free
- 2- and 3-Stage system

Pack size: 6 litre (11.5 litre Can)

GMC code: 4024669932003

TDS Number: CV615

Reaction Primer 2:1 U2100



- Passivating and phosphating Etch Primer
- Outstanding corrosion protection
- Fast drying
- 2- and 3-Stage system
- Mixing 2:1 with Standofleet Activator U2540

Pack size: 5 litre
GMC code: 4024669932300
TDS Number: CV618

Wash Primer 1:1 U2530 Transparent



- Passivating Acid Primer
- Excellent adhesion
- Free from chromate warning label
- For 3-Stage systems
- Outstanding corrosion protection
- Mix 1:1 with Standofleet Activator U2540

Pack size: 2.5 litre
GMC code: 4024669932225
TDS Number: CV610

2K VOC Highbuild Primer U2540



- VOC compliant 2K Filler with very high solid content
- Fast drying
- For economical chassis painting
- Chromate-free
- Mixing 10:1 with Standofleet 2K HS Hardener

Available in Grey (FC2)

Pack size: 10 litre
GMC code: 4024669932195
TDS Number: CV625

2K VOC Wet On Wet Filler U2570



- Filler with high solid content and outstanding holdout on vertical surfaces
- Specially developed for economical Wet-on-Wet painting
- White and dark grey filler are mixable with each other to achieve different grey shades
- Tinting capability
- Mixing 3:1 with Standofleet 2K HS Hardener

Available in White (FC1) and Dark Grey (FC3)

Pack size: 3.5 litre

GMC code: W; 4024669930146 DG; 4024669930221

TDS Number: CV628

2K VOC Sanding Filler U2520



- VOC compliant Sanding Filler for CV's
- Good sanding properties
- Excellent filling power
- Good vertical stability
- Very good holdout
- Mixing 8:1 with Standofleet 2K HS Hardener

Pack size: 8 litre (11.5 litre Can)

GMC code: 4024669930306

TDS Number: CV626

Epoxy Surfacers 5:1 U2200



- Epoxy-based special Primer Surfacers for CV's
- Chromate-free
- Outstanding holdout on vertical surfaces
- Good corrosion protection
- Certificate for welding
- Mixing 5:1 with Standofleet Epoxy Hardener U2210

Available in White (FC1), Black (FC3) & Grey (FC2)

Pack size: W; 3.5 litre B; 3.5 litre G; 5 litre (12.5 litre Can)

GMC code: W; 4024669934311 B; 4024669934304 G; 4024669934212

TDS Number: CV613

2K VOC Universal Primer Filler U2580



- VOC compliant 2K Primer Filler with very high solid content
- Outstanding corrosion protection
- Excellent filling properties
- Outstanding holdout on vertical surfaces
- Long potlife
- Mixing 10:1 with Standofleet 2K HS Hardener

Pack size: 10 litre

GMC code: 4024669932058

TDS Number: CV617



2K Thinner Slow

- Large objects
- Good overspray absorption
- Preferred thinner for Standofleet 2K Non Sanding Filler U2500
- Warm spray temp. 22-32 °C

Pack size: 5 litre
GMC code: 4024669953275
TDS Number: CV678



2K Thinner

- Standard 2K Thinner
- Medium objects
- Fair overspray absorption
- Spray temp. 20-22 °C

Pack size: 5 litre
GMC code: 4024669953138
TDS Number: CV678



2K Thinner Fast

- Fast flash off
- Small, single objects
- Stripes & lettering
- Spray booth with low air movement
- Cold spray temp. 18-20 °C

Pack size: 5 litre
GMC code: 4024669953053
TDS Number: CV678



2K Thinner Extra Slow

- Slow flash off
- Large objects
- Very good overspray absorption
- Hot spray temp. above 32 °C

Pack size: 5 litre
GMC code: 4024669953299
TDS Number: CV678



Silicon Remover

- Pre-treatment agent
- Substrate pre-treatment of sanded paintwork and filled substrates

Pack size: 5 litre
GMC code: 4024669954050
TDS Number: CV666



Degreaser

- Agent to degrease metal substrates

Pack size: 5 litre
GMC code: 4024669954579
TDS Number: CV667

Multitoning Additive



- Applicable in HS, HS High Build Topcoat
- Application for stripes, lettering and small areas
- Optimal flow and gloss of the topcoat
- Enables most efficient and economic work flows
- Replaces the addition of Standofleet Thinner
- Clear reduction of drying time at air drying

Pack size: 1 litre
GMC code: 4024669952087
TDS Number: CV639

2K Mix 602 Structure Fine



- Mix 602
- Structuring of VOC Topcoat
- Fine texture
- Mixing ratio 1:1, then mix 4:1 with Standox VOC Hardener

Pack size: 1 litre
GMC code: 4024669848212
TDS Number: 597 / CV673

2K Mix 603 Structure Coarse



- Mix 603
- Structuring of VOC Topcoat
- Coarse texture
- Mixing ratio 1:1, then mix 4:1 with Standox VOC Hardener

Pack size: 1 litre
GMC code: 4024669848137
TDS Number: 597 / CV673



2K VOC Clear K9350

- Special 2K VOC Clear for CV's
- Outstanding mechanical and chemical resistance
- Durable high gloss for 2-stage finishes
- Excellent gloss holdout
- Mixing 3:1 with Standofleet 2K HS Hardener

Pack size: 5 litre

GMC code: 4024669951059

TDS Number: CV651



2K HS Plus Clear K9360

- High mechanical and chemical resistance
- Excellent vertical stability
- Good anti-graffiti properties
- Mixing 3:1 with Standofleet 2K HS Hardener (standard)
5:3 with Standofleet 2K HS Hardener (anti-graffiti)

Pack size: 5 litre

GMC code: 4024669951493

TDS Number: CV655



Standex UK

Unit 1, Quadrant Park, Mundells, Welwyn Garden City, Herts AL7 1FS

Tel: 01707 518000 Fax: 01707 331424

Email: info-sx-gb@gbr.standex.com

An Axalta Coating Systems Brand