


Approximate quilt size: 52" x 57"



Laila			
DESIGN	YARDS		
21406 V	1/2		
21406 F	3/6		
21401 V	1/2		
21401 F	3/6		
21405 V	11/2		
21405 G	1/2		
21402 V	%		
21402 G	1/2		
21404 L	%		
21404 H	1/2		
21400 AV	%		
21400 AV(backing)	31/5		
21400 AG	1/2		
21399 EV	11/2		
21403 GV	1/2		
21405 E	1/2		
21406 E	1/2		

Laura Ashley Laila

Finished size 52"x 67"



Cutting: \*WOF- width of the fabric, from selvage to selvage

There are 108 blocks in this quilt, To make block assembly easier, use 3/4" round white stickers to mark the pieces with their block numbers. Block numbers follow in the parentheses after each the piece cut.

11" & 9" squares may have more than one number assigned to them. These blocks will be cut later into smaller blocks.

NOTE: Slight differences do occur during cutting and sewing. To allow for differences in sewing and to ease the mitering, border measurements have been rounded up to allow for any necessary adjustments.

21406 V - Cut 1 strip @ 11" x WOF, from strip cut; 1- 11" square (20, 96, 104), 1- 9" square (43, 49, 68, 71), 2- 5 ½" squares (16, 51), 3- 4" squares (10, 95, 101), 1- 3" square (73,108)

Cut 2 strips @  $1\frac{3}{4}$ " x WOF, from strip cut; 1 pc - 3" long (83), 4 pcs -  $4\frac{1}{4}$ " long (31, 33, 48, 69), 4 pcs -  $5\frac{1}{4}$ " long (14, 85, 89, 102)

21406 F - Cut 1 strip @ 9" x WOF, from strip cut; 1- 9" square (1, 30, 58), 2 rectangles-2" x 5 ½" (61, 100), 1- 3" square (6), 1- 4" square (72)

Cut 1 strip @ 1 3/4" x WOF, from strip cut; 2 pcs - 3" long (14, 89), 1 pc - 5 1/2" long (83)

21401 V - Cut 1 strip @ 11" x WOF, from strip cut; 1- 11" square (7, 24, 26, 52), 1- 9" square (47, 55, 62), 3- 5 ½" squares (9, 88, 97), 4 rectangles - 2" x 5 ½"(17, 36, 39, 94), 1 rectangle- 2 ½" x 5 ½" (46), 1- 4" square (42), 1- 3" square (28)

Cut 1 strip @  $1\frac{3}{4}$ " x WOF, from strip cut; 1 pc - 3" long (31), 3 pcs -  $4\frac{1}{4}$ " long (53, 85, 102), 1-pc  $5\frac{1}{2}$ " long (33)

21401 F - Cut 1 strip @ 9" x WOF, from strip cut; 1- 9" square (2, 18, 29), 2- 5 1/2" squares (23, 67), 1 rectangle- 2" x 5 1/2" (61), 1- 4" square (74)

Cut 1 strip @ 1 3/4" x WOF, from strip cut; 2 pcs - 4 1/4" long (31, 53)

21405 V - Cut 1 strip @ 11" x WOF, from strip cut; 1- 11" square (12, 60, 64, 107), 1- 9" square (50, 82), 3- 5 ½" squares (15, 57, 93), 4 rectangles- 2" x 5 ½" (17, 8, 36, 100), 5 rectangles- 2 ½" x 5 ½" (3, 66, 75, 84, 98)

Cut 1 strip @ 1 3/4" x WOF, from strip cut; 2 pcs - 3" long (33, 85), 6 pcs - 4 1/4" long (14, 48, 69, 83, 89, 102), 1 pc - 5 1/2" long (31)

Cut 1 strip @ 4" x WOF, from strip cut; 2- 4" squares (25, 45), 5- 3" squares (4, 56, 59, 79, 99)

Binding -Cut 7 strips @ 2 1/2" x WOF, Sew these together end to end for the binding.

Outer border-Cut 8 strips @ 2" x WOF, Sew pairs of strips together for the four borders. Cut 2 pcs@ 2"x 55" long and cut 2 pcs@ 2"x 70" long

21405 G - Cut 1 strip @ 9" x WOF, from strip cut; 1- 9" square (77), 3- 5 ½" squares (19, 40, 80), 1 rectangle- 2" x 5 ½" (92), 1 rectangle- 2 ½" x 5 ½" (37), 1 rectangle - 1 ¾" x 3" (53)

21402 V - Cut 1 strip @ 11" x WOF, from strip cut; 2- 11" squares (11, 65, 81, 86, 105), 1- 9" square (44, 70)

Cut 1 strip @  $5 \frac{1}{2}$ " x WOF; from strip cut 3-  $5 \frac{1}{2}$ " squares (34, 38, 54), 4 rectangles- 2" x  $5 \frac{1}{2}$ " (8, 39, 92, 94), 1 rectangle-  $2 \frac{1}{2}$ " x  $5 \frac{1}{2}$ " (22)

Cut 1 strip @ 1 3/4" x WOF, from strip cut; 3 pcs - 3" long (48, 69, 102), 1 pc - 4 1/4" long (83)

21402 G - Cut 1 strip @ 11" x WOF, from strip cut; 1- 9" square (90), 2- 5 ½" squares (63, 91), 1 rectangle- 2" x 5 ½" (98), 1 rectangle- 2 ½" x 5 ½" (103)

Cut 1 strip @ 1 3/4" x WOF, from strip cut; 4 pcs - 4 1/4" long (14, 33, 85, 89), 3 pcs - 5 1/2" long (53, 48, 69)

21404 L - Cut 1 strip @ 11" x WOF, from strip cut; 1- 11" square (90), 2 rectangle- 2" x 5 ½" (46, 103), 1 rectangle- 2 ½" x 5 ½" (17), 1- 4" square (93), 2- 3" squares (48, 69), 1 pc - 1 ¾" x 4 ¼" (28)

21404 H - Cut 1 strip @ 11" x WOF, from strip cut; 1- 11" square (47, 55, 62), 4- 5 ½" squares (5, 32, 72, 106), 1 rectangle- 2 ½" x 5 ½' (36), 1- 4" square (15), 1- 3" square (102)

Cut 1 strip @ 1 3/4" x WOF, from strip cut; 3 pcs - 4 1/4" long (28, 56, 59), 2 pcs - 5 1/2" long (79, 99)

21400 AV - Cut 1 strip @ 9" x WOF, from strip cut; 2- 9" squares (11, 65, 81, 86, 105), 5- 5 ½" squares (21, 27, 42, 76, 95), 2- 4" squares (23, 40), 2- 3" squares (53, 83)

Cut 1 strip @ 1 3/4" x WOF, from strip cut; 1 pc - 3" long (6), 1 pc - 5 1/2" long (73)

9 9 9 9

**Backing** -3 & 1/3 yards, cut into 2 pieces, each 1 & 2/3 yards long, for the backing. With right sides together sew along the selvage edge with a 1" seam. Trim seam to ½" and press open.

21400 AG - Cut 1 strip @ 11" x WOF, from strip cut; 1- 11" square (50, 82), 1- 9" square (12, 60, 64, 107), 2- 5 ½" squares (10, 87), 1 rectangle- 2 ½" x 5 ½" (8), 1- 4" square (34)

Cut 1 strip @ 1 3/4" x WOF, from strip cut; 6 pcs - 3" long (4, 28, 56, 79, 99, 108), 2 pcs - 4 1/4" long (6, 73)

21399 E V - Cut 1 strip @ 11" x WOF, from strips cut; 2- 11" squares (2, 18, 29, 43, 49, 68, 71), 1- 9" square (7, 24, 26, 52)

Cut 1 strip @ 9" x WOF, from strip cut; 3-5 ½" squares (25, 78, 101), 4 rectangle-2" x 5 ½" (3, 37, 46, 75), 1 rectangle-2 ½" x 5 ½" (92), 3-4" square (19, 91, 97), 1-3" square (31)

Cut 1 strip @ 1 ¾" x WOF, from strip cut; 2 pcs - 3" long (59, 73), 5 pcs - 4 ¼" long (4, 6, 79, 99, 108)1 pc - 5 ½" long (28)

Inner Border-Cut 8 strips @ 2 ½" x WOF, Sew pairs of strips for the four borders. Cut 2 pcs@ 2 ½"x55" long and cut 2 pcs @ 2 ½"x 70" long

21404 - Cut 1 strip @ 11" x WOF, from strip cut; 1- 11" square (77), 3- 5 ½" squares (13, 35, 41), 3 rectangles- 2" x 5 ½" (22, 66, 84), 1 rectangle- 2 ½" x 5 ½" (61), 2- 4" squares (67, 88), 1- 3" square (33)

Cut 1 strip @ 1 3/4" x WOF, from strip cut; 3 pcs - 5 1/2" long (4, 56, 59)

21405 E - Cut 1 strip @ 11" x WOF, from strip cut; 1- 11" squares (44, 70), 1- 9" square (20, 96, 104), 5 rectangles- 2" x 5 ½" (3, 22, 66, 75, 98), 1 rectangle- 2 ½" x 5 ½" (100), 1- 4" square (51), 2- 3" squares (14, 89)

Cut 1 strip @ 1 3/4" x WOF, from strip cut; 1 pc - 4 1/4" long (4), 2 pcs - 5 1/2" long (6, 108)

21406 - Cut 1 strip @ 11" x WOF, from strip cut; 1- 11" square (1, 30, 58), 2- 5 ½" squares (45, 74), 3 rectangles- 2" x 5 ½' (37, 84, 103), 2 rectangles- 2 ½" x 5 ½" (39, 94), 1- 3" square (85)

Cut 1 strip @ 1 3/4" x WOF, from strip cut; 5 pcs- 4 1/4" long (56, 59, 73, 79, 99)

### LAURA ASHLEY.

# Laila

### Laura Ashley Laila by Janice Averill

Sort the fabric pieces by their block numbers. Block components are listed below.






Block 1 -5 ½" x 5 ½" 18 blocks



Block 2 - 5 ½" x 5 ½" & 4" x 4" 19 blocks



Block 3 – 3" x 3", 1 ¾" x 3", 1 ¾" x 4 ¼", 1 ¾" x 5 ½" 19blocks



Block 4 – 2" x 5 ½" & 2 ½" x 5 ½" 17 blocks



Block 5 - 11" x 11" & 9" x 9" 13 blocks sub cut for 35 blocks

Block Assembly finished block size- 5 ½" x 5 ½" (includes ¼" seam allowance)

Set all 18 of the Block 1 squares aside; Blocks 5, 9, 13, 16, 21, 27, 32, 35, 38, 41, 54, 57, 63, 76, 78, 80, 87, 106

#### Block 2

Follow steps 1 & 2 for each of these 19 blocks; 10, 15, 19, 23, 25, 34, 40, 42, 45, 51, 67, 72, 74, 88, 91, 93, 95, 97, 101

- Cut circles from the 4" x 4" squares using the small circle template. Leave enough seam allowance for the appliqué method you are using.
- 2. Appliqué the circle to the center of the 5 ½" x 5 ½" square to complete the block. Center circles on the 5 ½" background by folding the 5 ½" square in half, wrong sides together, finger pressing fold, then open and refold the opposite sides. Repeat the process for your 4" circle; match up the creases, centering the 4" circle on the 5 ½ " background. Press and use appliqué scissors to cut out the fabric behind the circle. Press and set these aside.

### Block 3

Follow steps 1 - 4 for each of these 19 blocks; 4, 6, 14, 28, 31, 33, 48, 53, 56, 59, 69, 73, 79, 83, 85, 89, 99, 102, 108

- Sew a 1 ½" x 3" rectangle to one side of the 3"x3" square. Press the seam away from the center block.
- Attach the first 1 ¾" x 4 ¼" rectangle to the side of the 3"x3"square, left of the last piece sewn on. Press the seam away from the center block.
- 3. Attach the second 1 ½" x 4 ½" rectangle to the side of the 3"x3"square, left of the last piece sewn on. Press the seam away from the center block.
- 4. Attach a 1 ¾" x 5 ½" rectangle to the side of the 3"x3"square, left of the last piece sewn on. Press the seam away from the center block. Set these aside.

#### Block 4

Follow step 1 for each of these 17 blocks; 3, 8, 17, 22, 36, 37, 39, 46, 61, 66, 75, 84, 92, 94, 98, 100, 103

1. Sew the 2" x 5 ½" rectangles to each side of the 2 ½" x 5 ½" rectangle. Press the seams away from the center. Set these aside.




#### Block 5

Follow steps 1 – 4 for these blocks, each of the 13 -11"x 11" squares will be cut up to create 4- 5 ½"x 5 ½' blocks for 35 -5 ½"x 5 ½' blocks total. There will be extra 5 ½"x 5 ½' blocks we will not use.

The block sets are as follows; (1, 30, 58), (2, 18, 29), (7, 24, 26, 52), (11, 65, 81, 86, 105), (12, 60, 64, 107), (20, 96, 104), (43, 49, 68, 71), (44, 70), (47, 55, 62), (82, 50), (77), (90). The numbers in parenthesis represent the sub units cut from each 11" block

- 1. Cut circles from the 9" x 9" squares using the large circle template. Leave enough seam allowance for the appliqué method you are using.
- 2. Working from the right side of the square, find and mark the center of each side of the square. Using your favorite marking tool, connect these marks horizontally and vertically. Make sure that the lines are perpendicular (90 degree angle) to each other and parallel to the sides. Center the circle and appliqué the circle to the 11" x 11" square using your favorite a appliqué method to complete the block. Press and use appliqué scissors to cut out the fabric behind the circle.
  - 3. Using your favorite marking tool, connect the mark you made before horizontally and vertically, through the circle applique. Make sure that the lines are perpendicular (90 degree angle) to each other and parallel to the sides.
  - 4. Cut along these lines to make 4-5 ½"x 5 ½" blocks.







### Quilt top assembly

1. Arrange the blocks in rows and columns, by number as shown below. Check the image of the finished quilt for further block arrangement details such as rotation.

1	13	25	37	49	61	73	85	97
2	14	26	38	50	62	74	86	98
3	15	27	39	51	63	75	87	99
4	16	28	40	52	64	76	88	100
5	17	29	41	53	65	77	89	101
6	18	30	42	54	66	78	90	102
7	19	31	43	55	67	79	91	103
8	20	32	44	56	68	80	92	104
9	21	33	45	57	69	81	93	105
10	22	34	46	58	70	82	94	106
11	23	35	47	59	71	83	95	107
12	24	36	48	60	72	84	96	108

- 2. Sew the 12 blocks together to form each column. There will be 9 columns total; 1-12, 13-24, 25-36, 37-48, 49-60, 61-72, 85-96, & 97-108. Press the seams in one direction. Change direction from one column to the next and back again.
- 3. Sew the columns together in pairs with one extra column added to the last pair. Continue to sew the columns to each other in pairs. This will make assembly less cumbersome. Press seams to one side.




### Adding the Mitered Borders

Outer Border 21405 V - 2 strips @ 2"x 55" & 2 strips @ 2"x 70"

Inner Border 21399 E V -2 strips @ 2 1/2"x 55" & 2 strips @ 2 1/2"x 70"

- 1. On the wrong side of the quilt top, in each corner, measure ¼" in from each side. Mark this point with pencil or chalk. Do this for the other 3 corners. Also find the center of each side of the top and mark with a pin. Set this aside.
- 2. Find the center of the length for all 8 strips. Mark the center with chalk on the wrong side on both edges for all 8 strips.
- 3. Sew one of the 2"x 55", Outer Border 21405 V strip to the 2 ½"x 55", to an Inner Border 21399 E V strip; make sure the center marks are matched. This will be the top border strip set. Repeat this step to make the bottom border strip set with the other 2"x 55", Outer Border 21405 V strip and 2 ½"x 55" Inner Border 21399 E V strips. Press the seams towards the outer border.
- 4. On one of the top and bottom border strip sets, measure 22 ½" to the left and the right of the center mark on Inner Border 21399 E V. At this spot, measure ½" in from the raw edge, mark with pencil or chalk. Repeat this for the other border strip set.
- 5. Sew the 2"x 70", Outer Border 21405 V strip to the 2 ½"x 70", Inner Border 21399 E V strip; make sure the center marks are matched. Repeat this step with the other 2"x 70", Outer Border 21405 V strip and 2 ½"x 70" Inner Border 21399 E V strips. These will be the side border strip sets. Press the seams away the outer border
- 6. On one of the side border strip sets, measure 30" to the left and the right of the center mark on Inner Border 21399 E V. At this spot, measure 1/4" in from the raw edge, mark with pencil or chalk. Repeat this for the other side border strip set.
- 7. Draw a line through the mark you just made on the Inner Border 21399 E V, that is 45 degrees from the raw edge of the outer border. Make sure that you can see the ¼" mark within on the line. See image below for reference. Trim the extra border fabric leaving a ½" seam allowance.




- 8. Attach the one of the side border strip sets of the quilt top center. Match the pinned center marks and the marks made on both ends of the border strip to the quilt top center. Sew from one ¼" corner mark to the opposite ¾" corner mark. Do not knot or sew in reverse, leave long thread tails. Press the new seam away from the quilt top center. Now sew the other side border strip set the quilt top following the previous directions.
- 9. Attach the top border strip set of the quilt top. Match the pinned center marks and the marks made on both ends of the border strip to the quilt top. Sew from one ¼" corner mark to the opposite ¼" corner mark. Do not knot or sew in reverse, leave long thread tails. Press the new seam away from the quilt top center. Now sew the bottom border strip set to the quilt top following the previous directions.

## LAURA ASHLEY.

# Laila



10. As shown in the diagram below, fold the quilt in half diagonally, right sides together, towards the corner that you are working on. Using a pin align and interlock the seams at the ¼" corner marks and interlock the border strip seams. Pin the seam in place. Sew on the line you drew, leaving long thread tails, open quilt to make sure that the intersection lays flat. Tie off all the thread tails in this corner, using a square knot. Cut away excess fabric leaving at least a ¼" seam allowance. Press seam open. Repeat this on 3 remaining corners.



**Border Edge** 

Layer quilt, quilt as desired. Finish with binding.

